

Certificate of Analysis

Produced: Sep 04, 2025

Sample: CBD Full Spectrum Cooling Rub 4000mg/2oz, 16,000mg/8oz (Topical) • Client: Neurogan Inc. • Batch: Pass



Batch No.: DK24-C881/DK24-8801

Matrix: Topical

Sample ID: ICC-250829-24-001

Collected on: Aug 29, 2025

Received on: Aug 29, 2025

Sample Size:

Package Size: 62.22 g

Batch Result: Pass

Potency	Tested	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass		

Cannabinoid Overview

Total THC:	167 mg/pkg
Total CBD:	4400 mg/pkg
Total Cannabinoids:	5160 mg/pkg
Sum of Cannabinoids:	5170 mg/pkg

POT-INST-005: POT-INST-005: Potency

Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	106	0.170	1.70	0.0276/0.0828	N/A	CBT	279	0.448	4.48	0.0120/0.0418	N/A
CBD	4400	7.07	70.7	0.00844/0.0418	N/A	Δ ⁸ -THC	12.8	0.0205	0.205	0.00676/0.0418	N/A
CBDA		ND	ND	0.0202/0.0605	N/A	Δ ⁹ -THC	154	0.247	2.47	0.0112/0.0418	N/A
CBDV	52.4	0.0842	0.842	0.00669/0.0418	N/A	THCA		ND	ND	0.0153/0.0460	N/A
CBG	123	0.198	1.98	0.00953/0.0418	N/A	THCV		ND	ND	0.00516/0.0418	N/A
CBGA		ND	ND	0.0149/0.0447	N/A	Total THC**	167	0.268	2.68		N/A
CBL	14.1	0.0226	0.226	0.00658/0.0418	N/A	Total CBD**	4400	7.07	70.7		N/A
CBN	26.4	0.0424	0.424	0.00953/0.0418	N/A	Total Cannabinoids**	5170	8.30	83.0		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Sep 03, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.510	Pass	Hexane	290	ND	0.0662/0.282	Pass
Acetone	5000	54.0	17.1/51.4	Pass	Isopropyl alcohol		44.4	1.28/3.85	N/A
Acetonitrile	410	0.934	0.120/0.360	Pass	Methanol	3000	41.1	2.98/8.94	Pass
Benzene	1	ND	0.0211/0.0641	Pass	Methylene chloride	1	ND	0.127/0.731	Pass
Butane	5000	ND	0.973/4.86	Pass	Pentane	5000	ND	0.964/4.28	Pass
Chloroform	1	ND	0.0361/0.108	Pass	Propane	5000	ND	4.44/13.3	Pass
Ethanol		ND	2.62/7.86	N/A	Toluene	890	ND	0.0882/0.866	Pass
Ethyl acetate	5000	ND	0.314/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.580	Pass	o-Xylene		ND	0.101/0.859	N/A
Ethyl ether	5000	ND	1.19/3.56	Pass	p- and m-Xylene		ND	0.116/1.72	N/A
Heptane	5000	12.3	0.689/2.87	Pass	Total xylenes	2170	ND		Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Sep 03, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	< LOQ	0.00300/0.00900	Pass	Lead	0.5	< LOQ	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Sep 03, 2025

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Sep 03, 2025

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.94/5.88	N/A	Aflatoxin G2		ND	1.54/5.00	N/A
Aflatoxin B2		ND	2.65/8.04	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	3.91/11.9	N/A	Ochratoxin A	20	ND	4.78/14.5	Pass


PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Sep 04, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Sep 03, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Methiocarb	Any amt	ND	0.00956/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Methomyl	0.1	ND	0.0105/0.0318	Pass
Acephate	5	ND	0.00629/0.0300	Pass	Mevinphos	Any amt	ND	0.0133/0.0404	Pass
Acequinocyl	4	ND	0.0280/0.0848	Pass	Myclobutanil	9	ND	0.00963/0.0300	Pass
Acetamiprid	5	ND	0.00718/0.0300	Pass	Naled	0.5	ND	0.0116/0.0350	Pass
Aldicarb	Any amt	ND	0.00997/0.0302	Pass	Oxamyl	0.2	ND	0.0103/0.0311	Pass
Azoxystrobin	40	ND	0.00400/0.0300	Pass	Paclobutrazol	Any amt	ND	0.0111/0.0337	Pass
Bifenazate	5	ND	0.00787/0.0300	Pass	Permethrin	20	ND	0.00396/0.0300	Pass
Bifenthrin	0.5	< LOQ	0.0162/0.0490	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Boscalid	10	ND	0.0106/0.0321	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Carbaryl	0.5	ND	0.00614/0.0300	Pass	Phosmet	0.2	ND	0.00807/0.0300	Pass
Carbofuran	Any amt	ND	0.00384/0.0300	Pass	Piperonylbutoxide	8	ND	0.00869/0.0300	Pass
Chlorantraniliprole	40	ND	0.00657/0.0300	Pass	Prallethrin	0.4	ND	0.0204/0.0618	Pass
Chlorpyrifos	Any amt	ND	0.0108/0.0327	Pass	Propiconazole	20	ND	0.0210/0.0637	Pass
Clofentezine	0.5	ND	0.00595/0.0300	Pass	Propoxur	Any amt	ND	0.00656/0.0300	Pass
Coumaphos	Any amt	ND	0.00712/0.0300	Pass	Pyrethrins	1	ND	0.00357/0.0300	Pass
Daminozide	Any amt	ND	0.0190/0.0576	Pass	Pyrethrins Cinerin I		ND		N/A
Diazinon	0.2	ND	0.0271/0.0821	Pass	Pyrethrins Cinerin II		ND		N/A
Dichlorvos	Any amt	ND	0.0168/0.0508	Pass	Pyrethrins Jasmolin I		ND		N/A
Dimethoate	Any amt	ND	0.00906/0.0300	Pass	Pyrethrins Jasmolin II		ND		N/A
Dimethomorph	20	ND	0.0102/0.0308	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Ethoprophos	Any amt	ND	0.00586/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Etofenprox	Any amt	ND	0.00642/0.0300	Pass	Pyridaben	3	ND	0.00834/0.0300	Pass
Etoxazole	1.5	ND	0.00498/0.0300	Pass	Spinetoram	3	ND	0.00317/0.0300	Pass
Fenhexamid	10	ND	0.0147/0.0444	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Fenoxycarb	Any amt	ND	0.0111/0.0335	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00952/0.0300	Pass	Spinosad	3	ND	0.00302/0.0300	Pass
Fipronil	Any amt	ND	0.00568/0.0300	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Flonicamid	2	ND	0.0181/0.0548	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fludioxonil	30	ND	0.0192/0.0583	Pass	Spiromesifen	12	ND	0.0103/0.0311	Pass
Hexythiazox	2	ND	0.0217/0.0657	Pass	Spirotetramat	13	ND	0.00992/0.0301	Pass
Imazalil	Any amt	ND	0.00937/0.0300	Pass	Spiroxamine	Any amt	ND	0.00395/0.0300	Pass
Imidacloprid	3	ND	0.0231/0.0700	Pass	Tebuconazole	2	ND	0.0213/0.0645	Pass
Kresoxim-methyl	1	ND	0.00982/0.0300	Pass	Thiacloprid	Any amt	ND	0.00348/0.0300	Pass
Malathion	5	ND	0.00673/0.0300	Pass	Thiamethoxam	4.5	ND	0.00914/0.0300	Pass
Metalaxyl	15	ND	0.00467/0.0300	Pass	Trifloxystrobin	30	ND	0.00378/0.0300	Pass



DM