

# Certificate of Analysis

Produced: Apr 03, 2025

Sample: CBD Full Spectrum Dropper 500mg W/MCT Oil, 30ml (Tincture) • Client: Neurogan Inc. • Batch: Pass



**Batch No.:** DK24-3221-3214-7591  
**Matrix:** Tincture  
**Density:** 0.91778 g/ml  
**Sample ID:** ICC-250325-24-011  
**Collected on:** Mar 25, 2025  
**Received on:** Mar 25, 2025  
**Sample Size:**  
**Received By:** Rebecca Fischer  
**Package Size:** 27.96 g

Batch Result: Pass

<b>Potency</b>	Tested	<b>Mycotoxins</b>	Pass
<b>Solvents</b>	Pass	<b>Pesticides</b>	Pass
<b>Metals</b>	Pass	<b>Foreign</b>	Pass
<b>Microbial</b>	Pass		

### Cannabinoid Overview

<b>Total THC:</b>	<b>12.6 mg/pkg</b>
<b>Total CBD:</b>	<b>584 mg/pkg</b>
<b>Total Cannabinoids:</b>	<b>660 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>659 mg/pkg</b>

### POT-INST-005: POT-INST-005: Potency

Analyte	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail
CBC	ND	ND	0.0245/0.0734	N/A	THCA	ND	ND	0.0136/0.0408	N/A
CBD	2.09 %	21 mg/g	0.00748/0.0371	N/A	THCV	ND	ND	0.00458/0.0371	N/A
CBDA	ND	ND	0.0179/0.0537	N/A	<b>Total THC**</b>	0.0450 %	0.45 mg/g		N/A
CBDV	0.0351 %	0.35 mg/g	0.00593/0.0371	N/A	<b>Total CBD**</b>	2.09 %	21 mg/g		N/A
CBG	0.0155 %	0.16 mg/g	0.00845/0.0371	N/A	<b>CBD/Pkg</b>	584 mg			N/A
CBGA	ND	ND	0.0132/0.0396	N/A	<b>Δ<sup>9</sup>-THC/Pkg</b>	12.6 mg			N/A
CBL	ND	ND	0.00584/0.0371	N/A	<b>Total THC/Pkg**</b>	12.6 mg			N/A
CBN	0.0160 %	0.16 mg/g	0.00845/0.0371	N/A	<b>Total CBD/Pkg**</b>	584 mg			N/A
CBT	0.155 %	1.6 mg/g	0.0106/0.0371	N/A	<b>Total Cannabinoids**</b>	2.36 %	24 mg/g		N/A
Δ <sup>8</sup> -THC	ND	ND	0.00600/0.0371	N/A	<b>Total Cannabinoids/Pkg**</b>	659 mg			N/A
Δ <sup>9</sup> -THC	0.0450 %	0.45 mg/g	0.00990/0.0371	N/A					

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-10-THC + Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + THC-O-acetate + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*

\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Apr 01, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/ml)	Pass/Fail
1,2-Dichloroethane	1	ND	0.166/0.506	Pass	Hexane	290	ND	0.0656/0.279	Pass
Acetone	5000	ND	17.0/50.9	Pass	Isopropyl alcohol	5000	9.95	1.27/3.82	Pass
Acetonitrile	410	ND	0.119/0.357	Pass	Methanol	3000	< LOQ	2.95/8.86	Pass
Benzene	1	ND	0.0209/0.0635	Pass	Methylene chloride	1	ND	0.126/0.725	Pass
Butane	5000	ND	0.965/4.82	Pass	Pentane	5000	ND	0.956/4.24	Pass
Chloroform	1	ND	0.0358/0.107	Pass	Propane	5000	ND	4.41/13.2	Pass
Ethanol	5000	ND	2.60/7.80	Pass	Toluene	890	< LOQ	0.0875/0.859	Pass
Ethyl acetate	5000	ND	0.311/2.27	Pass	Trichloroethylene	1	ND	0.0179/0.144	Pass
Ethylene oxide	1	ND	0.152/0.575	Pass	o-Xylene		ND	0.100/0.852	N/A
Ethyl ether	5000	ND	1.18/3.53	Pass	p- and m-Xylene		ND	0.115/1.70	N/A
Heptane	5000	ND	0.683/2.84	Pass	Total xylenes	2170	ND	0.0168/0.143	Pass

**HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Apr 01, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

**MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Apr 02, 2025**

Analyte	Amt	Pass/Fail	Analyte	Amt	Pass/Fail
Salmonella spp.	ND	Pass	Shiga toxin-producing E. coli	ND	Pass

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Apr 03, 2025**

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	2.05/6.20	N/A	Aflatoxin G2		ND	1.02/5.00	N/A
Aflatoxin B2		ND	1.63/5.00	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	1.77/5.38	N/A	Ochratoxin A	20	ND	5.42/16.4	Pass

**PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Apr 02, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Apr 03, 2025

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Malathion	5	ND	0.00485/0.0300	Pass
Abamectin Ba		ND	0.0330/0.0990	N/A	Metalaxyl	15	ND	0.00340/0.0300	Pass
Acephate	5	ND	0.0209/0.0635	Pass	Methiocarb	Any amt	ND	0.00542/0.0300	Pass
Acequinocyl	4	ND	0.0115/0.0347	Pass	Methomyl	0.1	ND	0.00645/0.0300	Pass
Acetamiprid	5	ND	0.00581/0.0300	Pass	Mevinphos	Any amt	ND	0.0105/0.0319	Pass
Aldicarb	Any amt	ND	0.00935/0.0300	Pass	Myclobutanil	9	ND	0.00735/0.0300	Pass
Azoxystrobin	40	ND	0.00322/0.0300	Pass	Naled	0.5	ND	0.00459/0.0300	Pass
Bifenazate	5	ND	0.00473/0.0300	Pass	Oxamyl	0.2	ND	0.00850/0.0300	Pass
Bifenthrin	0.5	ND	0.00583/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00577/0.0300	Pass
Boscalid	10	ND	0.00747/0.0300	Pass	Permethrin	20	ND	0.00178/0.0300	Pass
Carbaryl	0.5	ND	0.00404/0.0300	Pass	Permethrin cis		ND	0.0200/0.0300	N/A
Carbofuran	Any amt	ND	0.00239/0.0300	Pass	Permethrin trans		ND	0.0200/0.0300	N/A
Chlorantranilprole	40	ND	0.00563/0.0300	Pass	Phosmet	0.2	ND	0.00527/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.00807/0.0300	Pass	Piperonylbutoxide	8	ND	0.00635/0.0300	Pass
Clofentezine	0.5	ND	0.00464/0.0300	Pass	Prallethrin	0.4	ND	0.0180/0.0546	Pass
Coumaphos	Any amt	ND	0.00463/0.0300	Pass	Propiconazole	20	ND	0.0124/0.0375	Pass
Daminozide	Any amt	ND	0.0107/0.0325	Pass	Propoxur	Any amt	ND	0.00524/0.0300	Pass
Diazinon	0.2	ND	0.00926/0.0300	Pass	Pyrethrins	1	ND	0.00192/0.0300	Pass
Dichlorvos	Any amt	ND	0.00728/0.0300	Pass	Pyrethrins Pyrethrin I		ND	0.0100/0.0450	N/A
Dimethoate	Any amt	ND	0.00650/0.0300	Pass	Pyrethrins Pyrethrin II		ND	0.0100/0.0300	N/A
Dimethomorph	20	ND	0.00871/0.0300	Pass	Pyridaben	3	ND	0.00547/0.0300	Pass
Ethoprophos	Any amt	ND	0.00391/0.0300	Pass	Spinetoram	3	ND	0.00295/0.0300	Pass
Etofenprox	Any amt	ND	0.00550/0.0300	Pass	Spinetoram J		ND	0.00500/0.0100	N/A
Etoxazole	1.5	ND	0.00349/0.0300	Pass	Spinetoram L		ND	0.00500/0.0100	N/A
Fenhexamid	10	ND	0.00833/0.0300	Pass	Spinosad	3	ND	0.00275/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00572/0.0300	Pass	Spinosad A		ND	0.00500/0.0100	N/A
Fenpyroximate	2	ND	0.00549/0.0300	Pass	Spinosad D		ND	0.00500/0.0100	N/A
Fipronil	Any amt	ND	0.00771/0.0300	Pass	Spiromesifen	12	ND	0.00540/0.0300	Pass
Flonicamid	2	ND	0.0151/0.0458	Pass	Spirotetramat	13	ND	0.00648/0.0300	Pass
Fludioxonil	30	ND	0.0158/0.0478	Pass	Spiroxamine	Any amt	ND	0.00264/0.0300	Pass
Hexythiazox	2	ND	0.0102/0.0308	Pass	Tebuconazole	2	ND	0.00895/0.0300	Pass
Imazalil	Any amt	ND	0.00863/0.0300	Pass	Thiacloprid	Any amt	ND	0.00177/0.0300	Pass
Imidacloprid	3	ND	0.00861/0.0300	Pass	Thiamethoxam	4.5	ND	0.00553/0.0300	Pass
Kresoxim-methyl	1	ND	0.00703/0.0300	Pass	Trifloxystrobin	30	ND	0.00234/0.0300	Pass

